



преимущества

- •Универсальность использования
- •Подходит для любых областей применения в любом производстве
- •Плотность и объемность защита для рук
- •Высокая прочность в сухом и влажном состоянии
- •Разрешение на использование в условиях пищевого производства



510 m



36.9 cm



Food contact approved certified by a third party

свойства продукта

Артикул	Система	Длина рулона	Ширина рулона	Диаметр рулона	Количеств о полотене ц	Длина полотенц а	Внутренн ий диаметр втулки	Слои	Печать	Тиснение	Цвет
130050	W1 - Протироч ные материал ы в рулонах для напольног о/настенн ого диспенсер	510 m	36.9 cm	39 cm	1500	34 cm	7.1 cm	2	нет	нет	Голубой



отгрузочная единица

потребительская единица

Штрих-код	7322540183559			
примеры	1			
высота	369 mm			
ширина	390 mm			
длина	390 mm			
объем	56.1 dm3			
масса нетто	7151 g			
масса брутто	7281 g			

паллета

Штрих-код	7322540221312		
примеры	30		
потребительская единица	30		
высота	1995 mm		
ширина	800 mm		
длина	1200 mm		
объем	1.7 dm3		
масса нетто	214.53 kg		
масса брутто	220.11 kg		

транспортная единица

Штрих-код	7322540183559
примеры	1
потребительская единица	1
материал	Shrink
высота	369 mm
ширина	390 mm
длина	390 mm
объем	56.1 dm3
масса нетто	7.15 kg
масса брутто	7.34 kg

экология

Content

The fibre composition in the product is virgin and recycled

Material

Virgin fibres and recovered paper

In the tissue process both virgin fibres and recovered paper are being used. In the process it is a matter of finding an efficient solution where both virgin fibres and recovered paper play a role. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important. The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material. Bleaching of fibres Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety. There are different methods used today for bleaching ECF (elementary chlorine free(where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view . The used functional chemicals are:Wetstrength agentDry strength agentDye Fixing agentsFluorescent whitening agentGlueSoftenersThe process chemicals are:AntipitchProtection agentYankee coatingDefoamerDispersing agents and surfactantspH and charge controlRetention aidsBroke treatment chemicalsDrainage aid

Product safety

The product fulfils the legislative requirements for food safety. Packaging Fulfillment of Packaging and Packaging Waste Directive (94/62/EC): Yes Environmental labelEcolabelThis product does not have an ecolabel

Date of issue 2006-06-12 Revision date 2010-02-25

Production



This product is produced at Kostheim mill, Germany. Kostheim mill is certified according to ISO 14001 and EMAS.

Destruction

For disposal of used product please contact the local authorities. The packaging can be used for material recovery or energy recovery