



# Tork Universal протирочная бумага 320 W1



## преимущества

- Прочный в сухом и влажном состоянии
- Экономичный в использовании
- Быстрое впитывание
- Подходит для удаления больших объемов грязи
- Могут использоваться в качестве полотенец для рук
- Эффективны для сухой уборки слабозагрязненных поверхностей
- Разрешено к использованию в условиях пищевого производства



340 m



36.9 cm



2



Food contact approved certified by a third party

## свойства продукта

Артикул	Система	Длина рулона	Ширина рулона	Диаметр рулона	Количество полотенец	Длина полотенца	Внутренний диаметр втулки	Слои	Печать	Тиснение	Цвет
128408	W1 - Протирочные материалы в рулонах для напольного/настенного диспенсера	340 m	36.9 cm	26.3 cm	1000	34 cm	7.1 cm	2	нет	да	Голубой



## отгрузочная единица

### потребительская единица

Штрих-код	7322540345018
примеры	1
высота	369 mm
ширина	263 mm
длина	263 mm
объем	25.5 dm <sup>3</sup>
масса нетто	4517 g
масса брутто	4642 g

### паллета

Штрих-код	7322540353549
примеры	60
потребительская единица	60
высота	1995 mm
ширина	800 mm
длина	1200 mm
объем	1.5 dm <sup>3</sup>
масса нетто	270.99 kg
масса брутто	280.23 kg

### транспортная единица

Штрих-код	7322540345025
примеры	2
потребительская единица	2
материал	Plastic
высота	369 mm
ширина	263 mm
длина	526 mm
объем	51.0 dm <sup>3</sup>
масса нетто	9.03 kg
масса брутто	9.34 kg



## ЭКОЛОГИЯ

### Content

Recycled fibres, Chemicals

### Material

Recycled fibres Recovered paper can be produced both from collected newsprint, magazines and office waste. The paper is washed with water and treated with chemicals under high temperature and then filtered. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important. The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material. Bleaching of fibres Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety. There are different methods used today for bleaching ECF (elementary chlorine free) where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

### Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view. The used functional chemicals are: Wet strength agent Dry strength agent Dye Fixing agents Fluorescent whitening agent Glue Softeners The process chemicals are: Antipitch Protection agent Yankee coating Defoamer Dispersing agents and surfactants pH and charge control Retention aids Broke treatment chemicals Drainage aid

### Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes Environmental label = Ecolabel This product does not have an ecolabel.

Date of issue 10-02-25

Revision date

### Production

This product is produced in Kostheim mill, DE, certified according to ISO 9001, ISO 14001 and EMAS.

### Destruction

This product is mainly used for industrial processes and hence it will be contaminated with different substances. This will determine how the used product will be destructed. The product itself is suitable for incineration. Contact local authorities before destruction.



**Tork Universal протирочная бумага 320 W1**

---